



PUNJAB POLLUTION CONTROL BOARD
Zonal Office, Power House Road, Street No. 12, Bathinda
Website:- www.ppcb.gov.in

Office Dispatch No : _____ Registered/Speed Post _____ Date: _____
Industry Registration ID: R18MKS493422 Application No : 20901187

To,
Hardev Singh
Satia Industries Limited Vpo- Rupana Sri Muktsar Sahib
Muktsar, Muktsar-152026

Subject: Extension in the validity of consent to operate an outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for discharge of effluent.

1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.	CTOW/Renewal/MKS/2023/20901187
Date of issue :	06/04/2023
Date of expiry :	31/03/2027
Certificate Type :	Renewal
Previous CTO No. & Validity :	CTOW/Varied/MKS/2022/18973106 From:06/08/2022 To:31/03/2023


2. Particulars of the Industry

Name & Designation of the Applicant	Hardev Singh, (Director (technical))
Address of Industrial premises	Satia Industries Limited, Vpo- Rupana, Malout Road, Sri Muktsar Sahib, Muktsar, Muktsar-152026
Capital Investment of the Industry	102106.51 lakhs
Category of Industry	Red
Type of Industry	1059-Pulp & Paper (Large-Agro +wood) , Small Pulp & Paper (agro based-wheat straw/rice husk)
Scale of the Industry	Large
Office District	Muktsar

In continuation to Board's letter no. PBIP/I/406473/2022-(1) dt. 08.08.2022, the validity of the 'consent to operate' granted to the industry under the provisions of Water Act, 1974 vide no. CTOW/Varied/MKS/2022/18973106 dt. 06.08.2022, which was valid upto 31.03.2023, is hereby further extended up to 31.03.2027, subject to the same conditions as mentioned in the original consent along-with following specific conditions-

1. The industry will not undergo any change in the production capacity without obtaining prior permission of the Board and will ensure the operation of pollution control devices in a scientific manner to achieve the permissible standards prescribed by the Board.
2. The industry shall get the effluent/emission sampling analyzed from the Board's Lab/Board's approved lab as per the policy of the Board.
3. The industry shall regularly operate & maintain its ETP and the treated effluent shall be discharged onto land for plantation / irrigation conforming to the effluent standards prescribed by the Board for such discharges. Further, the industry shall maintain proper record regarding the operation of its effluent treatment plant (ETP) at all times and make it available to the officer of the Board during the conduct of visit, without fail.
4. The industry shall maintain its plantation area as well as ensure provision of permanent channels for uniform distribution of wastewater in the entire plantation area after treatment through its ETP, so that no stagnation of wastewater occurs inside, outside or in the plantation area at any time.
5. The industry shall not discharge any trade & domestic effluent (treated or untreated) into choe / drain /river or in inland surface water at any time or any other unauthorized place by any unauthorized means.
6. The industry shall obtain consent to establish/operate of the Board under the Water Act, 1974 & Air Act, 1981 for the new boiler under installation, within 15 days.

This letter be remain appended with the original consent granted to the industry under the provisions of Water Act, 1974 vide no. CTOW/Varied/MKS/2022/18973106 dt. 06.08.2022.



06/04/2023

(Ruby Sidhu)
Environmental Engineer

For & on behalf
of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

Environmental Engineer, Punjab Pollution Control Board, Regional Office, Bathinda.

06/04/2023

(Ruby Sidhu)
Environmental Engineer

For & on behalf
of

(Punjab Pollution Control Board)