



परिवेश
PARIVESH
(CPC GREEN)

पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय

Ministry of Environment, Forest and Climate Change



Back

View Compliance Report at Project Proponent

Proposal Details

Proposal No

IA/PB/IND/61921/2015

Category

Industrial Projects - 1

Proposal Name

Expansion of paper production (300 to 600 TPD) along with expansion of Captive Power Plant (CPP) (30 to 44 MW) by M/s. Satia Industries Limited located at Village Rupana, District Sri Muktsar sahib, Punjab - Environmental Clearance - regarding.

Plot / Survey/ Khasra No.

Village(s)

Sub-District(s)

State

PUNJAB

District

SRI?MUKTSAR?SAHIB

MoEF File No

J-11011/196/2014-IA.II(I)

**Name of the Entity/
Corporate Office**

Hardev Singh

Entity's PAN

NA

Entity Name as per PAN

NA

Entity details mentioned above is correct ?

Agree

Covering Letter

Covering Letter

NA

Compliance Reporting Details**Reporting Year**

2023

Reporting Period

01 Dec(01 Apr - 30 Sep)

Remark(if any)**Details of Production and Project Area****Date of Commencement of Project/Activity**

07-02-2022

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	0	0
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	0	0

PRODUCTION CAPACITY

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Production during last financial year
1	Writing & Printing Paper	Tons per Day (TPD)	600				209912

Conditions**Specific Conditions**

Sr.No.	Condition Type	Condition Details	Status of Compliance,Remarks/Reason and Supporting Documents	
1	MISCELLANEOUS	The process water requirement per tonne of	PPs Submission	The process water consumption per tonne of the paper production after

		the paper production shall not exceed 50m3.		taken necessary steps of filtration and recycling is below 50m3. Complied Attachment: NA
2	MISCELLANEOUS	Project Proponent shall recycle with appropriate treatment at least 25m3 of wastewater per ton of the paper production back in the process.	PPs Submission	The machine backwater is filtered through micro filters and recycled back to the process water to reduce the fresh water consumption Complied Attachment: NA
3	MISCELLANEOUS	All CER targets shall be fully achieved in 3 years.	PPs Submission	Completion of CER targets are under progress and shall be achieved in the given period. Being Complied Attachment: NA

General Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks/Reason and Supporting Documents	
1	Statutory compliance	The project proponent shall obtain Consent under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/Committee.	PPs Submission	Consent to Operate Air & Consent to Operate Water are granted to the industry by the State Pollution Control Board and are valid upto 31/01/2027. Complied Attachment: Click to View
2	Statutory compliance	The project proponent shall obtain the necessary permission from the Central Ground Water	PPs Submission	Permission for drawl of surface water required

		Authority, in case of drawl of ground water/from the competent authority concerned in case of drawl of surface water required for the project.		for the project is granted to the industry. Complied Attachment: Click to View
			PPs Submission	Permission for drawl of surface water required for the project is granted to the industry. Complied Attachment: NA
3	Statutory compliance	The project proponent shall obtain authorization under the Hazardous and the other Waste Management Rules, 2016 as amended from time to time.	PPs Submission	Authorization under the Hazardous and the other Waste Management Rules, 2016, is obtained by the industry and is valid upto 31/03/2027. Complied Attachment: Click to View

4	AIR QUALITY MONITORING AND PRESERVATION	<p>The project proponent shall install 24x7 continuous monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 546 (E) dated 30th August 2008 as amended from time to time and S.O. 3005 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and the system be calibrated according to equipment supplier's specifications through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.</p>	PPs Submission	<p>24x7 continuous monitoring systems at process stacks are installed and are connected to the SPCB/CPCB servers. The systems are calibrated according to equipment supplier's specifications through NABL accredited laboratories. Calibration certificates are attached. Complied Attachment: Click to View</p>
5	AIR QUALITY MONITORING AND PRESERVATION	<p>The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.</p>	PPs Submission	<p>Fugitive emissions in the plant premises are monitored quarterly through NABL accredited laboratory Complied Attachment: Click to View</p>

6	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install system to carryout Continuous Ambient Air Quality monitoring for the common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOX in reference to SO2 and NOX emission) within and outside the plant area at least four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case small plants: Manual; Large plants: Continuous)	PPs Submission	Four AAQ monitoring stations already set up to check the concentration of PM10, PM2.5, SO2 and NOX. AAQ data monitored through NABL accredited laboratory. AAQ monitoring is also done on quarterly basis through NABL accredited lab. Complied Attachment: Click to View
7	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall submit monthly summary report of continuous stack and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality/fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with the six-monthly monitoring report.	PPs Submission	Manual monitoring of stacks is done on quarterly basis through NABL accredited lab. Complied Attachment: Click to View
8	AIR QUALITY MONITORING AND PRESERVATION	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all the vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.	PPs Submission	Air Pollution Control (APC) systems are installed at all dust generating points. The stack emissions as well as fugitive emissions are well below the prescribed standards. Complied Attachment: NA
9	AIR QUALITY MONITORING	Install high volume, low concentration NCG collection &	PPs Submission	High volume, low

	AND PRESERVATION	destruction system to mitigate all malodorous gases emitted.		concentration NCG is already installed to mitigate all malodorous gases. Complied Attachment: NA
10	AIR QUALITY MONITORING AND PRESERVATION	Emissions shall be controlled from the chemical recovery section through primary and secondary venture scrubbers.	PPs Submission	Four field ESPs are installed on all the boilers to check the emissions. Complied Attachment: NA
11	AIR QUALITY MONITORING AND PRESERVATION	Pollution control system in the pulp and paper plant shall be provided as per the CREP Guidelines of CPCB.	PPs Submission	For water pollution controlling, the industry has anaerobic and aerobic treatment systems to treat wet wash & bleach streams respectively. For emission control the industry has installed four field ESP for all its boilers to minimize the emission loads. Complied Attachment: NA
12	AIR QUALITY MONITORING AND PRESERVATION	Sufficient number of mobile or stationary vacuum cleaners to clean plant roads, shop floors, roofs regularly.	PPs Submission	Mobile cleaners are provided to clean plant roads. Complied Attachment: NA
13	AIR QUALITY MONITORING AND PRESERVATION	Wind shelter fence and chemical spraying on the raw material stock piles.	PPs Submission	Fire hydrants are provided in the raw materials yard

				to deal with any unforeseen situation. Complied Attachment: NA
14	AIR QUALITY MONITORING AND PRESERVATION	In case of treatment process disturbances/failure of pollution control equipment adopted by the unit, the respective unit shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.	PPs Submission	The unit will be shut down and will not be restarted until the control measures are rectified to achieved the desired efficiency, in case of any treatment process disturbances or failures. Complied Attachment: NA
15	AIR QUALITY MONITORING AND PRESERVATION	The company shall install Oxygen Delignification (ODL) Plant and shall maintain AOX below 1kg/tonne of paper production.	PPs Submission	ODL plant is already installed and AOX is maintained well below 1kg/tonne of paper production. Complied Attachment: Click to View
16	AIR QUALITY MONITORING AND PRESERVATION	ECF technology shall be used and lime kiln shall be installed to maintain lime sludge.	PPs Submission	ECF technology is already in use. The industry has already signed an agreement with Ultra Tech Cement Ltd. for the end use of Lime sludge generated. Complied Attachment: NA

17	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall install 24x7 continuous effluent monitoring system at all discharge points with respect to standards prescribed in Environment (Protection) Rules 1986 (GSR 546 (E) dated 30th August, 2005 or as amended from time to time; S.O. 3305 (E) dated 7th December, 2015 as amended from time to time) and connected to SPCB and CPCB online servers and the systems be calibrated according to equipment supplier's specifications through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case small plants: Manual; Large plants: Continuous)	PPs Submission	24x7 continuous effluent monitoring system at discharge point is installed and connected to PPCB/CPCB server and is calibrated according through NABL accredited laboratory Complied Attachment: Click to View
18	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	PPs Submission	Groundwater quality is monitored at four different piezometer wells that are located in the plant as well as at adjacent areas, through NABL accredited laboratory, quarterly. Complied Attachment: Click to View
19	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall submit monthly report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of groundwater quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.	PPs Submission	Monthly report of continuous effluent monitoring and results of manual monitoring attached as previous. Complied Attachment: NA
20	WATER QUALITY MONITORING	The project proponent shall provide the ETP to meet the standards prescribed in vide	PPs Submission	The ETP is adequate

	AND PRESERVATION	G.S.R. 546 (E) dated 30th August 2008 as amended from time to time and S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time.		enough to meet the standards prescribed in vide G.S.R. 546 (E) dated 30th August, 2008 as amended from time to time and S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time. Complied Attachment: NA
21	WATER QUALITY MONITORING AND PRESERVATION	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	PPs Submission	Sewage Treatment Plant is provided for domestic wastewater treatment. Complied Attachment: NA
22	WATER QUALITY MONITORING AND PRESERVATION	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run-off.	PPs Submission	To check the water pollution due to surface run-off in event of heavy rains, garland drains and collection pits are provided to trap the excess surface run-off. Complied Attachment: NA
23	WATER QUALITY MONITORING AND PRESERVATION	Tyre washing facilities shall be provided at the entrance of the plant gate(s).	PPs Submission	Tyre washing facility has been provided near the main gate. Complied Attachment: NA

24	WATER QUALITY MONITORING AND PRESERVATION	Ensure that there is no black liquor spillage in the area of pulp mill, no use of elemental chlorine for bleaching in mill, installation of hypo preparation plant.	PPs Submission	All the black liquor generated is used as fuel in Chemical Recovery Plant. The industry is using ClO ₂ bleaching. Complied Attachment: NA
25	WATER QUALITY MONITORING AND PRESERVATION	Ensure no spillage of foam in chemical recovery plant, no discharge of foul condensate generated from MEE in the Chemical recovery process directly to ETP.	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA
26	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall practice rain water harvesting to maximum possible extent.	PPs Submission	The industry is already practicing Rain Water Harvesting and has already installed 2 rain water harvesting system within its premises. Complied Attachment: NA
27	WATER QUALITY MONITORING AND PRESERVATION	Water meters at the inlet to all unit processes in plant.	PPs Submission	Water meters are provided at the inlet of all unit processes. Complied Attachment: NA
28	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall make efforts to minimise water consumption in the plant complex by segregation of used water, practicing cascade use and by recycling treated water.	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA
29	Noise Monitoring & Prevention	Noise level survey shall be carried as per the prescribed guidelines and report in this	PPs Submission	Noise level survey has been carried

		regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.		out by Thapar Institute of Engineering & Technology, Patiala. The reports are awaited and shall be submitted when received Complied Attachment: NA
30	Noise Monitoring & Prevention	The ambient noise level should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dB(A) during day time and 70 dB(A) during night time.	PPs Submission	The ambient noise level of day and night are well within the prescribed standards under EPA Rules, 1989. Third party audit for noise level has been done and reports are awaited. The reports shall be submitted once received. Complied Attachment: NA
31	ENERGY PRESERVATION MEASURES	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.	PPs Submission	Solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, and parking around project area have been installed. Complied Attachment: NA
32	ENERGY PRESERVATION MEASURES	Provide LED lights in their offices and residential areas.	PPs Submission	Ordinary/CFL lights are replaced by power efficient

				LED lights to minimize power consumption. Complied Attachment: NA
33	WASTE MANAGEMENT	Deinking sludge and fine sludge from ETP shall be disposed through TSDF.	PPs Submission	ETP sludge is disposed off to authorized cardboard manufacturers. Complied Attachment: NA
34	WASTE MANAGEMENT	Black liquor shall be separately processed for recovery of energy and chemical in a Chemical Recovery Process.	PPs Submission	Chemical Recovery Plant of sufficient quantity is already operational to handle all the black liquor generated in the process for the recovery of energy and chemicals. Complied Attachment: NA
35	WASTE MANAGEMENT	Sufficient number of colour coded waste collection bins shall be constructed at shop floors in each shop to systematically segregate and store waste materials generated at the shop floors (other than Process waste) in designated coloured bins for value addition by promoting reuse of such wastes and for good housekeeping.	PPs Submission	Waste bins are provided at the shop floors. Housekeeping is practiced at the highest level possible. Complied Attachment: NA
36	WASTE MANAGEMENT	100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office. (in case of CPP)	PPs Submission	All the fly ash is disposed off to brick manufacturers as well as used for land filling in the low lying areas. MoU attached. Complied

				Attachment: Click to View
37	WASTE MANAGEMENT	The waste oil, grease and other hazardous waste shall be disposed-off as per the Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA
38	WASTE MANAGEMENT	Kitchen waste shall be composted or converted to biogas for further use.	PPs Submission	Kitchen waste is converted into biogas and is used as fuel in boilers. Complied Attachment: NA
39	GREENBELT	Green belt shall be developed in 33% of the total plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.	PPs Submission	The industry is developing green belt in maximum possible area within its premises as well as in the adjacent areas. Being Complied Attachment: NA
40	GREENBELT	The PP shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.	PPs Submission	GHG emissions inventory has been prepared by TIET, Patiala and the reports are awaited. The reports shall be submitted once they are received. Complied Attachment: NA
41	PUBLIC HEARING	Emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	PPs Submission	Onsite emergency plan is followed in case of any unforeseen incidents.

				Complied Attachment: NA
42	PUBLIC HEARING	The PP shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	PPs Submission	Complete operation of all the boilers is done through DCS system. Firemen in the shift are equipped with all the safety equipment like Hand Gloves, Face Shield Helmets, Safety Shoes, Apron and Boiler Suit. Complied Attachment: NA
43	PUBLIC HEARING	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after completion of the project.	PPs Submission	Since the expansion of the plant has been completed, so all the temporary structures for the housing of labour have been removed. Complied Attachment: NA
44	PUBLIC HEARING	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per Factories Act.	PPs Submission	Noted by the industry. Records maintained by the industry. Complied Attachment: NA
45	PUBLIC HEARING	The proponent shall follow International Standards of safety for ClO ₂ generation and storage system, and ozone plant, and certification on regular basis may be submitted. Provision for adequate safety for personnel in	PPs Submission	International standards of safety for generation and storage of ClO ₂ are being followed. All

		case of any accidental leakage should be in place.		provisions for the safety of workers in case of any accidental leakage are provided. However, we do not have Ozone plant. Complied Attachment: NA
46	Corporate Environmental Responsibility	The project proponent shall comply with the provisions contained in the Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment responsibility.	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA
47	Corporate Environmental Responsibility	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper check and balances and to bring into focus any infringements/deviation/violation of environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of environmental/forest/wildlife norms/conditions and/or shareholder's/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	PPs Submission	In the Board of Directors meeting held on 11.08.2023 the environmental policy of the industry was discussed and it was found that the industry was following the same in a strict manner. The results of monitored data of air and water were found satisfactory by the Board. The compliance to the EC conditions was discussed and no infringement was found. Complied Attachment: NA

48	Corporate Environmental Responsibility	A separate Environmental Cell both as the project and company head quarter level, with qualified personnel shall be set up under the control of senior executive, who will directly to the head of the organization.	PPs Submission	The industry already has an environmental cell with well qualified personnel. The industry also has a well- equipped environment laboratory for daily monitoring of effluent and emission parameters. Complied Attachment: Click to View
49	Corporate Environmental Responsibility	Action plan for implementing EMP and environmental conditions along with the responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to Ministry/Regional Office along with the six - monthly compliance report.	PPs Submission	Action plan for implementing EMP and environmental conditions along with the responsibility matrix has been prepared and duly approved. Complied Attachment: NA
50	Corporate Environmental Responsibility	Self-environmental audit shall be conducted annually. Every three year third party environmental audit shall be carried out.	PPs Submission	Third party audit has been conducted by Thapar Institute of Engineering & Technology (TIET), Patiala. The reports are awaited and shall be submitted once received. Complied Attachment: NA

51	Corporate Environmental Responsibility	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the pulp and paper shall be implemented.	PPs Submission	All recommendations made in (CREP), for pulp and paper are being implemented. Complied Attachment: NA
52	MISCELLANEOUS	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards as their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	PPs Submission	The public was informed by advertisement in two local newspapers. The EC granted can also be seen on the company's website. Complied Attachment: NA
53	MISCELLANEOUS	The copies of the environmental clearance shall be submitted to the heads of the local bodies, panchayat, municipal bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	PPs Submission	A copy of EC letter was sent to the concerned bodies of the Government. Complied Attachment: NA
54	MISCELLANEOUS	The project proponent shall upload the status of the compliance of the stipulated environment clearance conditions, including results of the monitored data on their website and update the same on half yearly basis.	PPs Submission	The status of the compliance of the stipulated environment clearance conditions, including results of the monitored data on the website and is being updated the same on half yearly basis. Complied Attachment: NA

55	MISCELLANEOUS	The project proponent shall monitor the criteria pollutants level namely PM10, SO2, NOX (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	PPs Submission	Criteria pollutants level namely PM10, SO2, NOX (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects are being displayed at the main gate and also put on the website of the company. Complied Attachment: NA
56	MISCELLANEOUS	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment Forest and Climate Change at environment clearance portal.	PPs Submission	Six-monthly reports on the status of the compliance of the stipulated environmental conditions are submitted on the website of the ministry of Environment Forest and Climate Change at environment clearance portal. Complied Attachment: NA
57	MISCELLANEOUS	The project proponent shall submit the environmental statement for each financial year in the Form ? V to the concerned SPCB as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	PPs Submission	Form V is being submitted to the SPCB regularly and uploaded on the website of the industry. Complied Attachment: NA
58	MISCELLANEOUS	The project proponent shall inform the Regional Office as well as the Ministry, the date of	PPs Submission	The project got its final

		financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.		approval from the concerned authorities on 12th February, 2020 and the commencement of the land development work was started thereafter, and the project was completed on 07/02/2022. Complied Attachment: NA
59	MISCELLANEOUS	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA
60	MISCELLANEOUS	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA
61	MISCELLANEOUS	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA
62	MISCELLANEOUS	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA

63	MISCELLANEOUS	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA
64	MISCELLANEOUS	The Ministry reserves the right to stipulate additional conditions if found necessary. The company in a time bound manner shall implement these conditions.	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA
65	MISCELLANEOUS	The Regional Office of the Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA
66	MISCELLANEOUS	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control, of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous & Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules and any other orders passed by the Hon?ble Supreme Court of India/High Courts and any other Court of Law relating to subject matter.	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA
67	MISCELLANEOUS	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under the Section 16 of the National Green Tribunal Act, 2010.	PPs Submission	Noted by the industry. Agreed to Comply Attachment: NA

Document Upload

Last Site Visit Report (if available)

NA

Last Site Visit Report Date (if available)**Additional Attachment (if any)**

NA

Additional Remarks (if any)

- I 'Hardev Singh' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

Cover Letter From IRO**Cover Letter From IRO**

NA

[Back](#)